



SIGNS, TRAYS & BOLLARDS

SIGNS

INTERNALLY ILLUMINATED ROAD SIGNS



COSMO

SLIM-BODIED

Low energy and slimline



Option to house customer CMS module upon request.

METRO

DEEPER-BODIED

Low energy and deeper bodies to house a NEMA socket.

240v (incoming voltage) as standard but can be supplied for either 12vDC, 24vDC or Solar. Both ranges available in black or grey in the following standard sizes*:



*Bespoke sizes available upon request

TRAYS

LED RETRO-FIT GEAR TRAYS



Save energy by replacing all your old fluorescent Type A & internally illuminated signs with a One2See retro-fit LED gear tray.

In many cases NO re-wiring required, simply “UNPLUG THE OLD AND PLUG IN THE NEW”, in less than a minute!



Whatever make or model you have, we have designed and manufactured a tray to fit it - we think you'll love them. In fact we love them so much we gave them all names and created our own retro-fit family!

For example, **meet Simon!**

He has been designed to fit into a Simmons LUA Type A Sign Light.
The tray is supplied with all parts required: LED light source, driver and 70 lux photocell




Meet some more members of our retro-fit family...



BOLLARDS

LED INTERNALLY ILLUMINATED BOLLARDS



BOROUGH

50MM DIAMETER

Strong and durable slimline bollard.

W: 450mm
H: 1000mm
D: 50mm

CITY

76MM DIAMETER

Ultra-strong bollard.

W: 570mm
H: 1025mm
D: 76mm

Illuminated sign operates on 24vDC but bollard is supplied based on project incoming voltage.

Both ranges available in mild steel (painted black or grey) or stainless steel (painted black or grey or brushed)

Both available with a choice of fixing method: flange feet, flange plate, in ground box or NAL sockets.

Both ranges available in non-illuminated versions

SIGNS

	RANGE	/	SHAPE	SIZE (mm)	/	COLOUR	/	TSRGD GRAPHIC CODE
CIRCLES	COS (Cosmo)	/	C	300	/	G (Grey)	/	***
	MET (Metro)			450		B (Black)		
				600				
				750				
				900				
				1200				
TRIANGLES	COS (Cosmo)	/	T	600	/	G (Grey)	/	***
	MET (Metro)			750		B (Black)		
				900				
RECTANGLE	COS (Cosmo)	/	R	3045	/	G (Grey)	/	***
	MET (Metro)					B (Black)		

Example Code: **COS/C600/B/606** or **MET/T750/G/616**

Optional Extra's (Add bold code as suffix to above):

P76 - Post Top Bracket to fit a 76mm column

P89 - Post Top Bracket to fit a 89mm column

SOL - Solar Power (supplied without the column as kit)

SOL4 - Solar Power (supplied as standard with a 4m lighting column)

12V - 12vDC Supply

24V - 24vDC Supply

BOLLARDS

RANGE	/	GRAPHIC SIZE (mm)	COLOUR	/	INCOMING VOLTAGE	FIXING DETAIL	/	TSRGD CODE
BBOL (Borough)	/	300	G - (Grey Mild Steel)	/	12V - (12vDC)	FF - (Flange Feet [Round])	/	***
CBOL (City)			B - (Black Mild Steel)		24V - (24vDC)	FP - (Flange Plate)		
			SS - (Brushed SS)		240 - (240v)	NAL - (NAL socket*)		
			SSB - (Black SS)			IG - (in ground box)		
			SSG - (Grey SS)					

Example Code: **BBOL/300G/240FF/606**

Optional Extra's (Add bold code as suffix to above):

BTB - back to back version with illuminated sign on both sides

NIL - Non-illuminated

*Bollard supplied with longer legs (NAL sockets not supplied)



www.one2seesigns.co.uk
Tel: 0844 809 9186

All our products are manufactured in Great Britain.